

609



calotta
threaded cap

irritec

Ref.	Ø	€	pack	box	type
● IR60920F0N200	1/2"	0,067	100	3000	B
● IR60920F0N250	3/4"	0,097	100	2000	B
● IR60920F0N320	1"	0,097	50	1200	B
IR60920F0N400	1 1/4"	0,190	50	700	B
IR60920F0N500	1 1/2"	0,435	20	400	B
IR60920F0N630	2"	0,510	10	240	B
△ IR60920F0N750	2 1/2"	2,205	-	80	B
△ IR60920F0N900	3"	3,000	-	60	B
△ IR60920F0N110	4"	5,145	-	-	B

610



tappo
threaded plug

irritec

Ref.	Ø	€	pack	box	type
● IR61020M0N200	1/2"	0,105	100	3000	B
● IR61020M0N250	3/4"	0,110	100	2000	B
● IR61020M0N320	1"	0,155	50	1000	B
IR61020M0N400	1 1/4"	0,250	50	600	B
IR61020M0N500	1 1/2"	0,285	20	460	B
● IR61020M0N630	2"	0,397	10	270	B
IR61020M0N750	2 1/2"	0,803	-	140	B
IR61020M0N900	3"	1,055	-	100	B

620



manicotto
socket

irritec

Ref.	Ø	€	pack	box	type
IR62020F0N200	1/2" x 1/2"	0,170	100	1200	B
IR62020F0N250	3/4" x 3/4"	0,200	100	700	B
IR62020F0N320	1" x 1"	0,260	50	400	B
IR62020F0N400	1 1/4" x 1 1/4"	0,640	25	250	B
IR62020F0N500	1 1/2" x 1 1/2"	0,990	20	200	B
IR62020F0N630	2" x 2"	1,115	10	100	B
△ IR62020F0N750	2 1/2" x 2 1/2"	4,290	-	70	B
△ IR62020F0N900	3" x 3"	4,829	-	50	B

621



manicotto ridotto
reducing socket

irritec

Ref.	Ø	€	pack	box	type
● IR62120F0N25B	3/4" x 1/2"	0,170	100	800	B
IR62120F0N32B	1" x 1/2"	0,220	50	500	B
● IR62120F0N32C	1" x 3/4"	0,220	50	500	B
● IR62120F0N40D	1 1/4" x 1"	0,570	25	250	B
IR62120F0N50E	1 1/2" x 1 1/4"	0,800	20	200	B
IR62120F0N63F	2" x 1 1/2"	1,060	10	140	B
△ IR62120F0N75G	2 1/2" x 2"	3,480	-	80	B
△ IR62120F0N90H	3" x 2 1/2"	5,090	-	60	B

607



nipplo
nipple

irritec

Ref.	Ø	€	pack	box	type
● IR60720M0N200	1/2" x 1/2"	0,076	100	2400	B
● IR60720M0N250	3/4" x 3/4"	0,095	100	1400	B
● IR60720M0N320	1" x 1"	0,142	50	800	B
IR60720M0N400	1 1/4" x 1 1/4"	0,225	50	400	B
IR60720M0N500	1 1/2" x 1 1/2"	0,265	20	300	B
● IR60720M0N630	2" x 2"	0,473	10	180	B
IR60720M0N750	2 1/2" x 2 1/2"	0,888	-	100	B
IR60720M0N900	3" x 3"	1,300	-	60	B
IR60720M0N110	4" x 4"	2,440	-	40	B

619



nipplo ridotto
reducing nipple

irritec

Ref.	Ø	€	pack	box	type
● IR61920M0N25B	3/4" x 1/2"	0,085	100	1500	B
● IR61920M0N32B	1" x 1/2"	0,120	100	1000	B
● IR61920M0N32C	1" x 3/4"	0,120	100	800	B
● IR61920M0N40B	1 1/4" x 1/2"	0,290	50	500	B
● IR61920M0N40C	1 1/4" x 3/4"	0,220	50	500	B
● IR61920M0N40D	1 1/4" x 1"	0,220	50	400	B
IR61920M0N50B	1 1/2" x 1/2"	0,265	20	400	B
IR61920M0N50C	1 1/2" x 3/4"	0,265	20	400	B
IR61920M0N50D	1 1/2" x 1"	0,265	20	360	B
IR61920M0N50E	1 1/2" x 1 1/4"	0,265	20	340	B
IR61920M0N63B	2" x 1/2"	0,444	10	200	B
IR61920M0N63C	2" x 3/4"	0,444	10	240	B
IR61920M0N63D	2" x 1"	0,444	10	240	B
IR61920M0N63E	2" x 1 1/4"	0,444	10	200	B
IR61920M0N63F	2" x 1 1/2"	0,444	10	200	B
IR61920M0N75G	2 1/2" x 2"	1,408	-	110	B
IR61920M0N90H	3" x 2 1/2"	1,531	-	60	B

622



riduzione maschio/femmina
male/female reducer

irritec

Ref.	Ø	€	pack	box	type
IR62220D0N20A	1/2" x 3/8"	0,220	100	1400	B
● IR62220D0N25B	3/4" x 1/2"	0,265	100	1400	B
IR62220D0N32B	1" x 1/2"	0,198	50	700	B
● IR62220D0N32C	1" x 3/4"	0,198	50	700	B
IR62220D0N40C	1 1/4" x 3/4"	0,440	25	400	B
● IR62220D0N40D	1 1/4" x 1"	0,440	25	300	B
IR62220D0N50E	1 1/2" x 1 1/4"	0,485	20	240	B
IR62220D0N63F	2" x 1 1/2"	0,720	10	180	B

△ Con anello di rinforzo in acciaio inox
△ With iron reinforced ring

● disponibile con filettatura NPT
● also available NPT thread

623



bussola di riduzione maschio/femmina
M/F bush

irritec

Ref.	Ø	€	pack	box	type
● IR62320D0N25B	3/4" x 1/2"	0,160	100	2000	B
● IR62320D0N32B	1" x 1/2"	0,170	50	1100	B
● IR62320D0N32C	1" x 3/4"	0,180	50	1100	B
IR62320D0N40B	1 1/4" x 1/2"	0,295	50	600	B
IR62320D0N40C	1 1/4" x 3/4"	0,330	50	600	B
● IR62320D0N40D	1 1/4" x 1"	0,285	50	600	B
IR62320D0N50C	1 1/2" x 3/4"	0,365	20	540	B
IR62320D0N50D	1 1/2" x 1"	0,355	20	540	B
IR62320D0N50E	1 1/2" x 1 1/4"	0,345	20	540	B
IR62320D0N63C	2" x 3/4"	0,780	10	260	B
IR62320D0N63D	2" x 1"	0,780	10	300	B
IR62320D0N63E	2" x 1 1/4"	0,780	10	260	B
IR62320D0N63F	2" x 1 1/2"	0,875	10	260	B
IR62320D0N75G	2 1/2" x 2"	1,570	-	140	B
IR62320D0N90G	3" x 2"	2,480	-	100	B
IR62320D0N90H	3" x 2 1/2"	2,480	-	100	B

626



gomito femmina/femmina
female/female elbow

irritec

Ref.	Ø	€	pack	box	type
IR62620F0N200	1/2" x 1/2"	0,360	100	800	B
IR62620F0N250	3/4" x 3/4"	0,415	100	500	B
IR62620F0N320	1" x 1"	0,530	50	300	B
IR62620F0N400	1 1/4" x 1 1/4"	0,840	10	150	B
IR62620F0N500	1 1/2" x 1 1/2"	2,045	10	120	B
● IR62620F0N630	2" x 2"	2,495	10	70	B
IR62620F0N750*	2 1/2" x 2 1/2"	7,980	-	36	-
IR62620F0N900*	3" x 3"	9,440	-	-	-

630



tee femmina
female tee

irritec

Ref.	Ø	€	pack	box	type
IR63020F0N200	1/2" x 1/2" x 1/2"	0,455	50	500	B
IR63020F0N250	3/4" x 3/4" x 3/4"	0,570	50	300	B
● IR63020F0N320	1" x 1" x 1"	0,695	25	200	B
IR63020F0N400	1 1/4" x 1 1/4" x 1 1/4"	1,075	10	100	B
IR63020F0N500	1 1/2" x 1 1/2" x 1 1/2"	2,615	10	80	B
● IR63020F0N630	2" x 2" x 2"	3,325	10	40	B
IR63020F0N750*	2 1/2" x 2 1/2" x 2 1/2"	9,400	-	24	-
IR63020F0N900*	3" x 3" x 3"	11,540	-	-	-

307



nipplo light
light nipple

irritec

Ref.	Ø	€	pack	box	type
IR30720M0N250	3/4" x 3/4"	0,082	-	800	C
IR30720M0N320	1" x 1"	0,108	-	450	C

* Con anello di rinforzo in acciaio inox
* With iron reinforced ring

● disponibile con filettatura NPT
● also available NPT thread

625



maggioratore maschio/femmina
M/F enlarging piece

irritec

Ref.	Ø	€	pack	box	type
IR62520D0N20C	1/2" x 3/4"	0,360	100	800	B
IR62520D0N20D	1/2" x 1"	0,480	50	500	B
IR62520D0N20E	1/2" x 1 1/4"	0,560	25	300	B
IR62520D0N20F	1/2" x 1 1/2"	0,560	10	280	B
IR62520D0N25D	3/4" x 1"	0,470	50	500	B
IR62520D0N25E	3/4" x 1 1/4"	0,580	25	300	B
IR62520D0N25F	3/4" x 1 1/2"	0,580	20	240	B
IR62520D0N25G	3/4" x 2"	0,790	10	140	B
IR62520D0N32E	1" x 1"	0,580	25	300	B
IR62520D0N32F	1" x 1 1/2"	0,645	20	240	B
IR62520D0N32G	1" x 2"	0,895	10	150	B
IR62520D0N40F	1 1/2" x 1 1/2"	0,820	20	240	B
IR62520D0N40G	1 1/2" x 2"	0,935	10	160	B
IR62520D0N50G	1 1/2" x 2"	0,935	10	110	B

627



gomito maschio/femmina
male/female elbow

irritec

Ref.	Ø	€	pack	box	type
IR62720D0N200	1/2" x 1/2"	0,230	100	800	B
IR62720D0N250	3/4" x 3/4"	0,294	50	500	B
IR62720D0N320	1" x 1"	0,355	25	300	B

633



croce femmina
female cross

irritec

Ref.	Ø	€	pack	box	type
IR63320F0N630*	2" x 2" x 2" x 2"	12,880	5	30	B
IR63320F0N900*	3" x 3" x 3" x 3"	19,316	-	12	B

605



tee maschio
male tee

irritec

Ref.	Ø	€	pack	box	type
IR60520M0N200	1/2" x 1/2" x 1/2"	0,265	100	1000	B
IR60520M0N20C	1/2" x 3/4" x 1/2"	0,265	50	1000	B
IR60520M0N250	3/4" x 3/4" x 3/4"	0,355	100	600	B
IR60520M0N25D	3/4" x 1" x 3/4"	0,295	50	500	B
IR60520M0N320	1" x 1" x 1"	0,640	25	300	B
◇ IR60520M0N32E	1" x 1 1/4" x 1"	0,350	25	250	B
◇ IR60520M0N400	1 1/4" x 1 1/4" x 1 1/4"	0,650	20	160	B

309



calotta light
light cap

irritec

Ref.	Ø	€	pack	box	type
IR30920F0N250	3/4"	0,070	-	1400	C
IR30920F0N320	1"	0,091	-	800	C

103



irritec

Ref.	B	D x G	PFA (PN)	€	pack	box	type
● IS10320F0N20B	2	20 x 1/2"	10	0,49	1	150	C
● IS10320F0N25B	2	25 x 1/2"	16	0,49	1	130	C
● IS10320F0N25C	2	25 x 3/4"	16	0,49	1	130	C
● IS10320F0N32B	2	32 x 1/2"	16	0,61	1	90	C
● IS10320F0N32C	2	32 x 3/4"	16	0,61	1	90	C
● IS10320F0N32D	2	32 x 1"	16	0,69	1	70	C
● IS10320F0N40B	2	40 x 1/2"	16	0,71	1	70	C
● IS10320F0N40C	2	40 x 3/4"	16	0,71	1	70	C
● IS10320F0N40D	2	40 x 1"	16	0,71	1	70	C
● IS10320F0N50B	2	50 x 1/2"	16	0,74	1	60	C
● IS10320F0N50C	2	50 x 3/4"	16	0,74	1	60	C
● IS10320F0N50D	2	50 x 1"	16	0,74	1	60	C
● IS10320F0N63B	4	63 x 1/2"	16	1,06	1	35	C
● IS10320F0N63C	4	63 x 3/4"	16	1,06	1	35	C
● IS10320F0N63D	4	63 x 1"	16	1,06	1	35	C
● IS10320F0N63E	4	63 x 1 1/4"	10	1,12	1	35	C
● IS10320F0N63F	4	63 x 1 1/2"	10	1,12	1	30	C
● IS10320F0N75B	4	75 x 1/2"	16	1,84	1	50	B
● IS10320F0N75C	4	75 x 3/4"	16	1,84	1	50	B
● IS10320F0N75D	4	75 x 1"	16	1,84	1	50	B
● IS10320F0N75E	4	75 x 1 1/4"	10	1,94	1	50	B
● IS10320F0N75F	4	75 x 1 1/2"	10	1,94	1	40	B
● IS10320F0N75G	4	75 x 2"	6	2,05	1	40	B
● IS10320F0N90B	4	90 x 1/2"	16	2,36	1	40	B
● IS10320F0N90C	4	90 x 3/4"	16	2,36	1	40	B
● IS10320F0N90D	4	90 x 1"	16	2,36	1	40	B
● IS10320F0N90E	4	90 x 1 1/4"	10	2,57	1	40	B
● IS10320F0N90F	4	90 x 1 1/2"	10	2,57	1	40	B
● IS10320F0N90G	4	90 x 2"	6	2,84	1	35	B
● IS10320F0N11B	4	110 x 1/2"	16	2,84	1	30	B
● IS10320F0N11C	4	110 x 3/4"	16	2,84	1	30	B
● IS10320F0N11D	4	110 x 1"	16	2,84	1	30	B
● IS10320F0N11E	4	110 x 1 1/4"	10	2,84	1	30	B
● IS10320F0N11F	4	110 x 1 1/2"	10	2,84	1	30	B
● IS10320F0N11G	4	110 x 2"	6	3,05	1	30	B
● IS10320F0N11H	4	110 x 2 1/2"	6	5,36	1	30	B
● IS10320F0N11I	4	110 x 3"	6	6,20	1	20	B
● IS10320F0N13C	4	125 x 3/4"	6	6,41	1	25	B
● IS10320F0N13D	4	125 x 1"	6	6,41	1	25	B
● IS10320F0N13E	4	125 x 1 1/4"	6	6,41	1	25	B
● IS10320F0N13F	4	125 x 1 1/2"	6	7,88	1	25	B
● IS10320F0N13G	4	125 x 2"	6	7,88	1	25	B

Ref.	B	D x G	PFA (PN)	€	pack	box	type
IS10320F0N13H	4	125 x 2 1/2"	6	8,30	1	18	B
IS10320F0N15D	6	140 x 1"	6	6,83	1	20	B
IS10320F0N15E	6	140 x 1 1/4"	6	6,83	1	20	B
IS10320F0N15F	6	140 x 1 1/2"	6	7,56	1	20	B
IS10320F0N15G	6	140 x 2"	6	8,40	1	20	B
IS10320F0N15H	6	140 x 2 1/2"	6	8,82	1	20	B
IS10320F0N15I	6	140 x 3"	6	9,66	1	20	B
IS10320F0N17D	6	160 x 1"	6	8,58	1	20	B
IS10320F0N17E	6	160 x 1 1/4"	6	8,58	1	15	B
IS10320F0N17F	6	160 x 1 1/2"	6	8,58	1	15	B
IS10320F0N17G	6	160 x 2"	6	9,56	1	15	B
IS10320F0N17H	6	160 x 2 1/2"	6	9,66	1	15	B
IS10320F0N17I	6	160 x 3"	6	10,61	1	10	B
IS10350F0N21D	6	200 x 1"	4	25,41	1	8	B
IS10350F0N21E	6	200 x 1 1/4"	4	25,41	1	8	B
IS10350F0N21F	6	200 x 1 1/2"	4	25,41	1	8	B
IS10350F0N21G	6	200 x 2"	4	25,41	1	8	B
IS10350F0N21H	6	200 x 2 1/2"	4	25,41	1	8	B
IS10350F0N21I	6	200 x 3"	4	25,41	1	8	B
IS10350F0N21L	6	200 x 4"	4	25,41	1	8	B
IS10350F0N23D	6	225 x 1"	4	30,14	1	8	B
IS10350F0N23E	6	225 x 1 1/4"	4	30,14	1	8	B
IS10350F0N23F	6	225 x 1 1/2"	4	30,14	1	8	B
IS10350F0N23G	6	225 x 2"	4	30,14	1	8	B
IS10350F0N23H	6	225 x 2 1/2"	4	30,14	1	8	B
IS10350F0N23I	6	225 x 3"	4	30,14	1	8	B
IS10350F0N23L	6	225 x 4"	4	30,14	1	8	B
IS10350F0N26D	6	250 x 1"	4	34,76	1	7	B
IS10350F0N26E	6	250 x 1 1/4"	4	34,76	1	7	B
IS10350F0N26F	6	250 x 1 1/2"	4	34,76	1	7	B
IS10350F0N26G	6	250 x 2"	4	34,76	1	7	B
IS10350F0N26H	6	250 x 2 1/2"	4	34,76	1	7	B
IS10350F0N26I	6	250 x 3"	4	34,76	1	5	B
IS10350F0N26L	6	250 x 4"	4	34,76	1	5	B
IS10350F0N33D	6	315 x 1"	4	44,73	1	4	B
IS10350F0N33E	6	315 x 1 1/4"	4	44,73	1	4	B
IS10350F0N33F	6	315 x 1 1/2"	4	44,73	1	4	B
IS10350F0N33G	6	315 x 2"	4	44,73	1	4	B
IS10350F0N33H	6	315 x 2 1/2"	4	44,73	1	4	B
IS10350F0N33I	6	315 x 3"	4	44,73	1	4	B
IS10350F0N33L	6	315 x 4"	4	44,73	1	4	B