

201



raccordo femmina  
female adaptor

**irritec**

Ref.	D x G	PFA (PN)	€	pack	box	type
● IQ20120F0N16B	16 x 1/2"	12,5	0,59	20	240	C
● IQ20120F0N16C	16 x 3/4"	12,5	0,59	20	220	C
● IQ20120F0N20B	20 x 1/2"	12,5	0,83	20	240	C
● IQ20120F0N20C	20 x 3/4"	12,5	0,83	20	220	C
● IQ20120F0N25B	25 x 1/2"	12,5	0,96	10	300	B
● IQ20120F0N25C	25 x 3/4"	12,5	0,96	10	300	B
● IQ20120F0N25D	25 x 1"	12,5	0,96	10	300	B
● IQ20120F0N32C	32 x 3/4"	12,5	1,22	10	200	B
● IQ20120F0N32D	32 x 1"	12,5	1,22	10	200	B
● IQ20120F0N32E	32 x 1 1/4"	10	1,69	10	160	B
● IQ20120F0N40D	40 x 1"	10	1,90	5	100	B
● IQ20120F0N40E	40 x 1 1/4"	10	1,90	5	100	B
● IQ20120F0N40F	40 x 1 1/2"	10	1,90	5	100	B
● IQ20120F0N50E	50 x 1 1/4"	10	2,74	5	65	B
● IQ20120F0N50F	50 x 1 1/2"	10	2,74	5	65	B
● IQ20120F0N50G	50 x 2"Δ	10	2,74	5	60	B
● IQ20120F0N63F	63 x 1 1/2"	10	3,84	5	35	B
● IQ20120F0N63G	63 x 2"Δ	10	3,84	5	35	B
● IQ20120F0N75G	75 x 2"Δ	10	7,69	1	18	B
● IQ20120F0N75H	75 x 2 1/2"Δ	10	7,69	1	18	B
● IQ20120F0N90H	90 x 2 1/2"Δ	10	9,44	1	12	B
● IQ20120F0N90I	90 x 3"Δ	10	9,44	1	12	B
● IQ20120F0N11I	110 x 3"Δ	10	23,33	1	6	B
● IQ20120F0N11L	110 x 4"Δ	10	23,33	1	6	B

211



raccordo maschio  
male adaptor

**irritec**

Ref.	D x G	PFA (PN)	€	pack	box	type
● IQ21120M0N16B	16 x 1/2"	12,5	0,64	20	220	C
● IQ21120M0N16C	16 x 3/4"	12,5	0,64	20	220	C
● IQ21120M0N20B	20 x 1/2"	12,5	0,77	20	240	C
● IQ21120M0N20C	20 x 3/4"	12,5	0,77	20	240	C
● IQ21120M0N25B	25 x 1/2"	12,5	0,88	10	300	B
● IQ21120M0N25C	25 x 3/4"	12,5	0,88	10	300	B
● IQ21120M0N25D	25 x 1"	12,5	0,88	10	300	B
● IQ21120M0N32C	32 x 3/4"	12,5	1,11	10	180	B
● IQ21120M0N32D	32 x 1"	12,5	1,11	10	180	B
● IQ21120M0N32E	32 x 1 1/4"	12,5	1,24	10	180	B
● IQ21120M0N40D	40 x 1"	10	2,07	5	110	B
● IQ21120M0N40E	40 x 1 1/4"	10	2,07	5	110	B
● IQ21120M0N40F	40 x 1 1/2"	10	2,07	5	105	B
● IQ21120M0N50E	50 x 1 1/4"	10	2,71	5	70	B
● IQ21120M0N50F	50 x 1 1/2"	10	2,71	5	70	B
● IQ21120M0N50G	50 x 2"	10	2,71	5	70	B
● IQ21120M0N63F	63 x 1 1/2"	10	3,84	5	40	B
● IQ21120M0N63G	63 x 2"	10	3,84	5	40	B
● IQ21120M0N63H	63 x 2 1/2"	10	3,84	1	40	B
● IQ21120M0N75G	75 x 2"	10	7,69	1	18	B
● IQ21120M0N75H	75 x 2 1/2"	10	7,69	1	18	B
● IQ21120M0N75I	75 x 3"	10	7,69	1	15	B
● IQ21120M0N90G	90 x 2"	10	9,06	1	12	B
● IQ21120M0N90H	90 x 2 1/2"	10	9,06	1	12	B
● IQ21120M0N90I	90 x 3"	10	9,06	1	12	B
● IQ21120M0N90L	90 x 4"	10	9,54	1	6	B
● IQ21120M0N11G	110 x 2"	10	17,89	1	6	B
● IQ21120M0N11I	110 x 3"	10	17,89	1	6	B
● IQ21120M0N11L	110 x 4"	10	17,89	1	6	B

210



manicotto  
coupling

**irritec**

Ref.	D x G	PFA (PN)	€	pack	box	type
IQ2102000N160	16 x 16	12,5	0,96	20	160	C
IQ2102000N200	20 x 20	12,5	1,32	20	160	C
IQ2102000N250	25 x 25	12,5	1,58	10	200	B
IQ2102000N320	32 x 32	12,5	2,04	10	120	B
IQ2102000N400	40 x 40	10	3,33	5	65	B
IQ2102000N500	50 x 50	10	4,54	5	40	B
IQ2102000N630	63 x 63	10	6,29	5	25	B
IQ2102000N750	75 x 75	10	11,86	1	10	B
IQ2102000N900	90 x 90	10	14,67	1	7	B
IQ2102000N110	110 x 110	10	31,39	1	6	J

212



manicotto ridotto  
reducer coupling

**irritec**

Ref.	D x G	PFA (PN)	€	pack	box	type
IQ2122000N20A	20 x 16	12,5	1,32	20	160	C
IQ2122000N25A	25 x 16	12,5	1,43	10	240	B
IQ2122000N25B	25 x 20	12,5	1,43	10	240	B
IQ2122000N32B	32 x 20	12,5	1,88	10	140	B
IQ2122000N32C	32 x 25	12,5	1,88	10	140	B
IQ2122000N40C	40 x 25	10	3,24	5	90	B
IQ2122000N40D	40 x 32	10	3,24	5	90	B
IQ2122000N50C	50 x 25	10	4,19	5	75	B
IQ2122000N50D	50 x 32	10	4,19	5	55	B
IQ2122000N50E	50 x 40	10	4,19	5	50	B
IQ2122000N63D	63 x 32	10	5,94	5	30	B
IQ2122000N63E	63 x 40	10	5,94	5	30	B
IQ2122000N63F	63 x 50	10	5,94	5	30	B
IQ2122000N75F	75 x 50	10	10,82	1	15	B
IQ2122000N75G	75 x 63	10	10,82	1	15	B
IQ2122000N90G	90 x 63	10	14,32	1	10	B
IQ2122000N90H	90 x 75	10	14,32	1	8	B
IQ2122000N11I	110 x 90	10	30,01	1	6	J

221



tappo fine linea  
end plug

**irritec**

Ref.	D	PFA (PN)	€	pack	box	type
IQ2212000N160	16	12,5	0,70	20	300	C
IQ2212000N200	20	12,5	0,89	20	300	C
IQ2212000N250	25	12,5	0,99	10	400	B
IQ2212000N320	32	12,5	1,22	10	240	B
IQ2212000N400	40	10	2,04	5	100	B
IQ2212000N500	50	10	3,02	5	80	B
IQ2212000N630	63	10	4,10	5	45	B
IQ2212000N750	75	10	12,47	1	20	B
IQ2212000N900	90	10	11,16	1	12	B
IQ2212000N110	110	10	24,07	1	6	B

Δ Con anello di rinforzo in acciaio inox  
Δ With iron reinforced ring

214



tee a 90°  
90° tee

**irritec**

Ref.	D x D x D	PFA (PN)	€	pack	box	type
IQ2142000N160	16 x 16 x 16	10	1,27	20	80	C
IQ2142000N200	20 x 20 x 20	10	1,73	20	80	C
IQ2142000N250	25 x 25 x 25	10	2,29	10	100	B
IQ2142000N320	32 x 32 x 32	10	2,96	10	60	B
IQ2142000N400	40 x 40 x 40	10	4,89	10	40	B
IQ2142000N500	50 x 50 x 50	10	6,62	10	20	B
IQ2142000N630	63 x 63 x 63	10	9,43	5	12	B
IQ2142000N750	75 x 75 x 75	10	16,39	5	5	B
IQ2142000N900	90 x 90 x 90	10	22,67	4	3	B
IQ2142000N110	110 x 110 x 110	10	44,15	1	2	J

216



tee a 90° con  
der. fil. maschio  
90° tee with male  
threaded offtake

**irritec**

Ref.	D x G x D	PFA (PN)	€	pack	box	type
● IQ21620M0N16B	16 x 1/2" x 16	10	1,38	20	100	C
● IQ21620M0N16C	16 x 3/4" x 16	10	1,38	20	100	C
● IQ21620M0N20B	20 x 1/2" x 20	12,5	1,46	20	100	C
● IQ21620M0N20C	20 x 3/4" x 20	10	1,46	20	100	C
● IQ21620M0N25B	25 x 1/2" x 25	12,5	1,90	10	120	C
● IQ21620M0N25C	25 x 3/4" x 25	12,5	1,90	10	120	B
● IQ21620M0N25D	25 x 1" x 25	10	1,90	10	120	B
● IQ21620M0N32C	32 x 3/4" x 32	10	2,39	10	80	B
● IQ21620M0N32D	32 x 1" x 32	10	2,39	10	80	B
● IQ21620M0N32E	32 x 1 1/4" x 32	10	2,39	10	60	B
● IQ21620M0N40E	40 x 1 1/4" x 40	10	4,19	5	45	B
● IQ21620M0N40F	40 x 1 1/2" x 40	10	4,19	5	45	B
● IQ21620M0N50F	50 x 1 1/2" x 50	10	5,94	5	25	B
● IQ21620M0N50G	50 x 2" x 50	10	5,94	5	25	B
● IQ21620M0N63G	63 x 2" x 63	10	11,52	5	20	B
● IQ21620M0N63H	63 x 2 1/2" x 63	10	11,52	5	8	B
● IQ21620M0N75H	75 x 2 1/2" x 75	10	14,32	1	8	B
● IQ21620M0N75I	75 x 3" x 75	10	14,32	1	7	B
● IQ21620M0N90I	90 x 3" x 90	10	20,88	1	4	B
● IQ21620M0N90L	90 x 4" x 90	10	20,88	1	4	B
● IQ21620M0N11L	110 x 4" x 110	10	31,31	1	2	B

215



tee a 90° con  
der. fil. femmina  
90° tee with female  
threaded offtake

**irritec**

Ref.	D x G x D	PFA (PN)	€	pack	box	type
● IQ21520F0N16B	16 x 1/2" x 16	10	1,03	20	100	C
● IQ21520F0N16C	16 x 3/4" x 16	10	1,03	20	100	C
● IQ21520F0N20B	20 x 1/2" x 20	12,5	1,38	20	100	C
● IQ21520F0N20C	20 x 3/4" x 20	10	1,38	20	100	C
● IQ21520F0N25B	25 x 1/2" x 25	10	1,76	10	150	B
● IQ21520F0N25C	25 x 3/4" x 25	10	1,76	10	130	B
● IQ21520F0N25D	25 x 1" x 25	10	1,96	10	130	B
● IQ21520F0N32B	32 x 1/2" x 32	10	2,29	10	80	B
● IQ21520F0N32C	32 x 3/4" x 32	10	2,29	10	80	B
● IQ21520F0N32D	32 x 1" x 32	10	2,29	10	80	B
● IQ21520F0N32E	32 x 1 1/4" x 32	10	4,19	5	60	B
● IQ21520F0N40D	40 x 1 x 40	10	4,19	5	45	B
● IQ21520F0N40E	40 x 1 1/4" x 40	10	4,19	5	45	B
● IQ21520F0N40F	40 x 1 1/2" x 40	10	4,19	5	45	B
● IQ21520F0N50E	50 x 1 1/4" x 50	10	5,59	5	25	B
● IQ21520F0N50F	50 x 1 1/2" x 50	10	5,59	5	25	B
● IQ21520F0N50G	50 x 2" x 50Δ	10	5,59	5	25	B
● IQ21520F0N63F	63 x 1 1/2" x 63	10	8,02	5	12	B
● IQ21520F0N63G	63 x 2" x 63Δ	10	8,02	5	12	B
● IQ21520F0N75G	75 x 2" x 75Δ	10	13,25	1	7	B
● IQ21520F0N75H	75 x 2 1/2" x 75Δ	10	13,25	1	7	B
● IQ21520F0N75I	75 x 3" x 75Δ	10	13,25	1	7	B
● IQ21520F0N90H	90 x 2 1/2" x 90Δ	10	20,57	1	4	B
● IQ21520F0N90I	90 x 3" x 90Δ	10	20,57	1	4	B
● IQ21520F0N90L	90 x 4" x 90Δ	10	20,57	1	4	B
● IQ21520F0N11L	110 x 4" x 110Δ	10	31,05	1	2	B

224



tee a 90° con  
ridotta/maggiorata  
enlarged 90° tee

**irritec**

Ref.	D x D x D	PFA (PN)	€	pack	box	type
IQ2242000N20A	20 x 16 x 20	10	2,03	20	80	B
IQ2242000N20C	20 x 25 x 20	10	2,35	10	120	B
IQ2242000N25B	25 x 20 x 25	10	2,35	10	110	B
IQ2242000N25D	25 x 32 x 25	10	3,15	10	100	B
IQ2242000N32C	32 x 25 x 32	10	3,15	10	60	B
IQ2242000N40D	40 x 32 x 40	10	4,37	10	70	B
IQ2242000N50E	50 x 40 x 50	10	6,00	10	60	B
IQ2242000N63F	63 x 50 x 63	10	7,85	10	45	B

213



90° elbow  
90° elbow

**irritec**

Ref.	D x D	PFA (PN)	€	pack	box	type
IQ2132000N160	16 x 16	10	1,03	20	140	C
IQ2132000N200	20 x 20	10	1,32	20	140	C
IQ2132000N250	25 x 25	10	1,61	10	180	B
IQ2132000N320	32 x 32	10	2,01	10	100	B
IQ2132000N400	40 x 40	10	3,49	5	60	B
IQ2132000N500	50 x 50	10	4,89	5	35	B
IQ2132000N630	63 x 63	10	5,94	5	20	B
IQ2132000N750	75 x 75	10	11,52	1	8	B
IQ2132000N900	90 x 90	10	14,29	1	4	B
IQ2132000N110	110 x 110	10	29,63	1	4	J

218



gomito a 90°  
con der. fil. femmina  
90° elbow with female  
threaded offtake

**irritec**

Ref.	D x D	PFA (PN)	€	pack	box	type
IQ21820F0N16B	16 x 1/2"	10	0,80	20	160	C
IQ21820F0N16C	16 x 3/4"	10	0,80	20	160	C
IQ21820F0N20B	20 x 1/2"	12,5	0,99	20	160	C
IQ21820F0N20C	20 x 3/4"	10	0,99	20	160	C
IQ21820F0N25B	25 x 1/2"	10	1,24	10	240	B
IQ21820F0N25C	25 x 3/4"	10	1,24	10	240	B
IQ21820F0N25D	25 x 1"	10	1,24	10	200	B
IQ21820F0N32B	32 x 1/2"	10	1,46	10	160	B
IQ21820F0N32C	32 x 3/4"	10	1,46	10	160	B
IQ21820F0N32D	32 x 1"	10	1,46	10	160	B
IQ21820F0N32E	32 x 1 1/4"	10	2,13	5	110	B
IQ21820F0N40D	40 x 1"	10	2,88	5	80	B
IQ21820F0N40E	40 x 1 1/4"	10	2,88	5	80	B
IQ21820F0N40F	40 x 1 1/2"	10	2,88	5	80	B
IQ21820F0N50F	50 x 1 1/2"	10	3,84	5	50	B
IQ21820F0N50G	50 x 2"Δ	10	3,84	1	45	B
IQ21820F0N63F	63 x 1 1/2"	10	5,25	1	20	B
IQ21820F0N63G	63 x 2"Δ	10	5,25	1	20	B
IQ21820F0N75H	75 x 2 1/2"Δ	10	9,06	1	12	J
IQ21820F0N75I	75 x 3"Δ	10	9,06	1	14	J
IQ21820F0N90I	90 x 3"Δ	10	17,37	1	8	J
IQ21820F0N90L	90 x 4"Δ	10	17,37	1	8	J
IQ21820F0N11L	110 x 4"Δ	10	28,59	1	6	J

219



gomito a 90°  
con der. fil. maschio  
90° elbow with male  
threaded offtake

Ref.	D x D	PFA (PN)	€	pack	box	type
IQ21920M0N16B	16 x 1/2"	10	0,83		240	
IQ21920M0N16C	16 x 3/4"	10	0,83		200	
IQ21920M0N20B	20 x 1/2"	12,5	0,88		240	
IQ21920M0N20C	20 x 3/4"	10	0,88		200	
IQ21920M0N25B	25 x 1/2"	12,5	1,07		250	
IQ21920M0N25C	25 x 3/4"	12,5	1,07		250	
IQ21920M0N25D	25 x 1"	10	1,07		240	
IQ21920M0N32C	32 x 3/4"	12,5	1,38		160	
IQ21920M0N32D	32 x 1"	12,5	1,38		160	
IQ21920M0N32E	32 x 1 1/4"	10	1,38		140	
IQ21920M0N40E	40 x 1 1/4"	10	2,21		80	
IQ21920M0N40F	40 x 1 1/2"	10	2,21			
IQ21920M0N50F	50 x 1 1/2"	10	3,02			
IQ21920M0N50G	50 x 2"	10	3,02			
IQ21920M0N63G	63 x 2"	10	4,19			
IQ21920M0N63H	63 x 2 1/2"	10	4,19			
IQ21920M0N75H	75 x 2 1/2"	10	8,87			
IQ21920M0N75I	75 x 3"	10	8,87			
IQ21920M0N90I	90 x 3"	10	11,13			
IQ21920M0N90L	90 x 4"	10	11,13			
IQ21920M0N11L	110 x 4"	10	21,63			

2AG



anello di graffaggio  
clinching ring

**irritec**

Ref.	D	PFA (PN)	€	pack	box	type
0Q2AG6000B016	16	-	0,15	1	-	-
0Q2AG6000B020	20	-	0,21	1	-	-
0Q2AG6000B025	25	-	0,25	1	-	-
0Q2AG6000B032	32	-	0,32	1	-	-
0Q9AG6000B040	40	-	0,52	1	-	-
0Q9AG6000B050	50	-	0,71	1	-	-
0Q9AG6000B063	63	-	0,98	1	-	-
0Q2AG6000B075	75	-	1,85	1	-	-
0Q2AG6000B090	90	-	2,28	1	-	-
0Q2AG6000B110	110	-	4,88	1	-	-

2GH



ghiera  
nut

**irritec**

Ref.	D	PFA (PN)	€	pack	box	type
0Q2GH2000V016	16	-	0,23	1	-	-
0Q2GH2000V020	20	-	0,33	1	-	-
0Q2GH2000V025	25	-	0,39	1	-	-
0Q2GH2000V032	32	-	0,51	1	-	-
0Q2GH2000V040	40	-	0,83	1	-	-
0Q2GH2000V050	50	-	1,12	1	-	-
0Q2GH2000V063	63	-	1,56	1	-	-
0Q2GH2000V075	75	-	2,94	1	-	-
0Q2GH2000V090	90	-	3,64	1	-	-
0Q2GH2000V110	110	-	7,79	1	-	-

OR



guarnizione  
o-ring

**irritec**

Ref.	D	PFA (PN)	€	pack	box	type
0HOR1500300A0	16	-	0,14	1	-	-
0HOR1800300A0	20	-	0,19	1	-	-
0HOR2250400A0	25	-	0,23	1	-	-
0HOR2940450A0	32	-	0,30	1	-	-
0HOR3700500A0	40	-	0,48	1	-	-
0HOR4815535A0	50	-	0,66	1	-	-
0HOR6100600A0	63	-	0,91	1	-	-
0HOR7700800A0	75	-	1,71	1	-	-
0HOR920010A0	90	-	2,12	1	-	-
0HOR1120010A0	110	-	4,53	1	-	-

2DS



bussola di bloccaggio  
blocking bush

Ref.	D	PFA (PN)	€	pack	box	type
0Q2DS2000N016	16	-	0,13	-	-	-
0Q2DS2000N020	20	-	0,18	-	-	-
0Q2DS2000N025	25	-	0,21	-	-	-
0Q2DS2000N032	32	-	0,27	-	-	-
0Q2DS2000N040	40	-	0,44	-	-	-
0Q2DS2000N050	50	-	0,60	-	-	-
0Q2DS2000N063	63	-	0,84	-	-	-
0Q2DS2000N075	75	-	1,58	-	-	-
0Q2DS2000N090	90	-	1,96	-	-	-
0Q2DS2000N110	110	-	4,19	-	-	-